

03500.017357



PATENT

COFC
\$1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
Kazukiyo AKASHI, et al.)	Examiner: Peter Lee
U.S. Patent No.: 6,931,217 B2)	Group Art Unit: 2852
Issued: August 16, 2005)	Confirmation No.: 3748
Appl. No.: 10/606,228)	
Filed: June 26, 2003)	
For: TONER RESIDUAL AMOUNT DETECTION APPARATUS)	November 10, 2005

Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450

Certificate
NOV 17 2005
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

11/14/2005 CNGUYEN 00000028 6931217


01 FC:1811

100.00 OP

NOV 17 2005

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our New York office at the address given below.

Respectfully submitted,


William M. Wannisky
Attorney for Patentees
Registration No. 28,373

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

WMW/tas

DC_MAIN 220719v1

NOV 17 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,931,217 B2

DATED : August 16, 2005

INVENTOR(S) : Kazukiyo AKASHI, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 25, "Many of" should read --Many of the--.

COLUMN 2:

Line 34, "done" should read --performed--.

COLUMN 3:

Line 25, "prevent from" should read --preclude--.

COLUMN 4:

Line 12, "form" should read --from--.

COLUMN 6:

Line 5, "shows" should read --shown--.

COLUMN 7:

Line 12, "the toner" should read --"the toner--; and
Line 50, "evil" should read --problem--.

COLUMN 8:


Line 48, "done" should read --performed--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,931,217 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,931,217 B2

DATED : August 16, 2005

INVENTOR(S) : Kazukiyo AKASHI, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 67, "thesum" should read --the sum--.

COLUMN 10:

Line 8, "And" should read --and--.

COLUMN 12:

Line 1, "is less" should read --which is less--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,931,217 B2

No. of add'l. copies
@ 30¢ per page



NOV 17 2005

03500.017357



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
Kazukiyo AKASHI, et al.)	Examiner: Peter Lee
U.S. Patent No.: 6,931,217 B2)	Group Art Unit: 2852
Issued: August 16, 2005)	Confirmation No.: 3748
Appl. No.: 10/606,228)	
Filed: June 26, 2003)	
For: TONER RESIDUAL AMOUNT DETECTION APPARATUS)	November 10, 2005

Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

NOV 17 2005

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our New York office at the address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'William M. Wannisky', is written over a horizontal line.

William M. Wannisky
Attorney for Patentees
Registration No. 28,373

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

WMW/tas

DC_MAIN 220719v1

NOV 17 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,931,217 B2

DATED : August 16, 2005

INVENTOR(S) : Kazukiyo AKASHI, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 25, "Many of" should read --Many of the--.

COLUMN 2:

Line 34, "done" should read --performed--.

COLUMN 3:

Line 25, "prevent from" should read --preclude--.

COLUMN 4:

Line 12, "form" should read --from--.

COLUMN 6:

Line 5, "shows" should read --shown--.

COLUMN 7:

Line 12, "the toner" should read --"the toner--; and
Line 50, "evil" should read --problem--.

COLUMN 8:

Line 48, "done" should read --performed--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,931,217 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

WMW\tas

➡ _____

NOV 17 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,931,217 B2

DATED : August 16, 2005

INVENTOR(S) : Kazukiyo AKASHI, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 67, "thesum" should read --the sum--.

COLUMN 10:

Line 8, "And" should read --and--.

COLUMN 12:

Line 1, "is less" should read --which is less--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,931,217 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

WMW\tas

→ _____

NOV 17 2005